



**"FENDING", INNOVATION AND EXCELLENCE**



2017



# Plant Facility

Ocean fenders new factory of 13,000m<sup>2</sup> in Pernik, is the biggest manufacturing plant for fenders in the world, setting the ground for Ocean to become the leading brand in the fending industry!




## Superior Quality



## Lifetime Performance



## Maximum Protection



## Extensive Quality Tests



## Exclusive Design



## Ultimate Consistency



## About Us

Since 1985, OCEAN was the first in the world to design and produce the unique range of our Solid boat fenders, bow and stern fenders made from Flexible Integral PU Skin Foam.

After being more than 32 years in the boat fending market, continuously introducing new products according to the needs of our partners, we are now proud to claim the top spot for the world's biggest manufacturing plant for boat fenders.

Being regarded as the most innovative brand in the fenders' market, we shall continue to manufacture... THE BEST BOAT FENDERS in the world.


*The future of boat fending is filled with OCEAN*

## Contents



**Buoys - R SERIES**

**4-5**



**Fenders - H, U, CH & RT SERIES**

**6-10**



**Covers & Ropes**

**11**




**Inflatable Fenders  
EASYSTORE & MAGNUS**

**12-13**



**Solid Fenders - SOLOVELA, TYPE A,  
BLADE, PVM1, PVM2, MATCH 60  
& MATCH 80**

**14-19**



**Dock Fenders**

**20**










**Accessories**



**21-24**



# Find your BOAT FENDER

BOAT LENGTH (ft/m)

SERIES			10'/3m	20'/6m	30'/9m	40'/12m	50'/15m	60'/18m	70'/21m
U		U0	←→						
		U1		←→					
		U2/H2		←→					
		U3/H3		←→	←→				
		U4/H4			←→				
		U5/H5			←→				
H		H6				←→			
		H7				←→			
		H8				←→			
		H9				←→			
CH		CH0	←→						
		CH1		←→					
		CH2			←→				
RT		RT1		←→					
		RT2			←→				
		RT3			←→				
R		R1		←→					
		R2			←→				
		R3			←→				
		R4				←→			
		R5				←→			
		R6					←→		
		R7					←→		
Type A		A1		←→					
		A2			←→				
		A3				←→			
		A4					←→		
SOLOVELA		SOLOVELA			←→				

SERIES		20'/6m	30'/9m	40'/12m	50'/15m	60'/18m	70'/21m	130'/40m	160'/50m	210'/66m
Inflatable Fenders		57327	↔							
		57328		↔						
		57316		↔						
		57317			↔					
		57318					↔			
		57319						↔		
		72159						↔		
		72162						↔		
		72160						↔		
		72161								↔
		72163								↔

## OCEAN Limited Warranty

### WHAT THIS WARRANTY COVERS

OCEAN warrants its products to be free of defects in workmanship and material under normal use and service and when used for the purposes and under the conditions for which they are intended.

### WHAT THIS WARRANTY DOES NOT COVER

This warranty does not apply to any problem caused by:

- 1) unusual conditions such as severe storms, hurricanes, extreme temperatures, UV light breakdown, or ultraviolet rays. Also, the warranty does not cover cosmetic flaws that result from normal wear and tear under ordinary use and do not affect the performance or use of the product.
- 2) intentional damage by people
- 3) cuts, punctures, or exposures to chemicals that degrade or discolor plastics
- 5) abuse, neglect, accident, misuse, alteration, unauthorized repair, improper handling, or improper use
- 4) improper inflation of any product, including under or over inflation (please refer to inflation guide for maximum inflation values)

Because it is impossible for OCEAN to know the exact purposes for which you acquired the OCEAN product or the uses to which you will put the product, OCEAN shall not be responsible for the selection of the product for its installation and use. While every reasonable effort has been made to insure that you will receive a product that you can use and enjoy, OCEAN does not warrant that the product will meet your requirements.

### NO WORDS, ACTIONS, DESCRIPTIONS, MODELS, SAMPLES

OR OTHER SELLER CONDUCT WILL CREATE AN EXPRESS WARRANTY BEYOND THE TERMS DESCRIBED HERE.

### HOW LONG COVERAGE LASTS

The warranty on SOLOVELA, TYPE A, MATCH 60 & 80, PVM1, PVM2, BLADE and U, L & R SERIES lasts as long as the original purchaser owns the above referenced OCEAN product and can prove the origin of purchase. This warranty terminates if the original purchaser sells or transfers the product.

### WHAT OCEAN WILL DO

Obligation under this warranty is limited to repair, replacement, or credit for the defective product at the discretion of OCEAN

### HOW TO GET SERVICE

Purchaser should return the defective product to the location where the purchase was made, along with a copy of the original sales receipt documenting the date of purchase and the OCEAN item number, as well as a description of the conditions in which the product was used and the alleged defect MUST accompany all warranty claims.

OCEAN shall have the right to inspect said product and Purchaser shall, if requested, return the defective product to OCEAN.

OCEAN is not responsible for postage on the return of defective products. No return merchandise will be accepted without prior authorization.

## OCEAN Buoys **R SERIES**

***A versatile buoy for  
the most adverse  
conditions.***



*\*available upon  
request*

**Suitable colour for  
European Fishing Grounds**

Widely popular among commercial fishermen for its durability but also among the recreational boats too

***Suitable for***



Rock solid ropehold with reinforced material

Simple valve for convenient inflation

Seamless construction

UV resistant

Most ribs than any other buoy in the market

Unique Glossy finish


















**R Series** are **Heavy Duty Buoys** in which **the rib-reinforced rock solid ropehold** is made in such way, in order to provide **extra strength and durability**. A versatile buoy for **the most adverse conditions**. Marking gear for ocean, sea, river or lake, it is becoming **widely popular among commercial fishermen** for its durability but also among the recreational boats too. They are one-piece made, which means that **no parts are attached together** to form the finalized buoy, and has consistent wall thickness and UV resistant.

Suitable for any use and any kind of boat from 20-80ft, the Ocean Buoys "fends" proudly.



- Inflation pressure: 2.1lbs/0,15bar at 68°F/20°C
- Material: Plastisol PVC
- Production process: Single procedure Rotational moulding

Model	Colour	Code	Dimensions		Eye Diameter	Volume per products (lt)	Buoyancy (kg)	Weight (kg)	Boat Size (ft/m)
			A (mm)	B (mm)	D (mm)				
R1		71994	280	380	24	12,9	14	1,2	10-20/3-6
		72002							
R2		71995	380	500	28	30,9	32	2	20-35/6-11
		72003							
R3		71996	440	580	28	49	54	3	25-40/8-12
		72004							
R4		71997	520	680	28	82,6	90	4	35-45/11-14
		72005							
R5		71998	680	900	30	179,1	205	6,2	40-55/12-17
		72006							
R6		71999	880	1120	38	376	400	8	55-70/17-21
		72007							
R7		72000	1000	1380	50	620,6	670	10	65-80/20-24
		72008							



*OCEAN Fenders*  
**H SERIES**

***THE BEST Heavy Duty  
fenders in the market***



Rock solid ropehold with Reinforced material

Simple valve for convenient inflation

Seamless construction

UV resistant

Unique Glossy finish


*Suitable for*





















**Ocean Heavy Duty Fenders** is a series of superior quality boat fenders that offer excellent protection for any different boat. They're made of Plastisol PVC with rotation moulding procedure. They are also UV resistant for their protection from sunlight. They are **one-piece made**, which means that **no parts are attached together** to form the finalized fender, and have consistent wall thickness as well.

**H Series** are **heavy duty** boat fenders in which the **rib-reinforced rock solid ropeholds** in the two sides of the fender are made in such way, in order to provide extra strength and durability for the fender. A versatile fender for the most adverse conditions. Suitable for any use and any kind of boat from 10-60ft, the Ocean Heavy Duty fender "fends" proudly.



- Inflation pressure: 2.1lbs/0,15bar at 68°F/20°C
- Material : Plastisol PVC
- Production process: Single procedure Rotational moulding

Model	Colour	Code	Dimensions		Eye Diameter	Volume per products (lt)	Weight (kg)	Boat Size (ft/m)
			A (mm)	B (mm)	D (mm)			
H2		71984	140	500	13	6,3	0,70	10-20/3-6
		72453						
H3		71985	160	560	18	9,1	1,20	15-30/5-9
		72148						
H4		71986	190	640	18	14,5	1,75	20-35/6-11
		72454						
H5		71987	220	640	22	18,6	2	25-40/8-12
		72137						
H6		71988	220	760	22	23,2	2,30	30-45/9-14
		72138						
H7		71989	280	760	24	35,1	3	35-50/11-15
		72455						
H8		71990	220	1040	22	33,8	3	40-55/12-17
		72139						
H9		71991	270	1090	24	55,4	4	45-60/14-18
		72456						



\* Additional colours upon request.



**"FENDING", INNOVATION AND EXCELLENCE**



## A utility fender for every use and everyone!


**The new U Series** introduced by Ocean is the point where **simplicity** and **elegance** become one, with the **high gloss finish** giving you the ultimate touch of style. You can choose between **white, royal blue or black color** and through a variety of six different sizes. In addition, the "U series" of fenders are made in one-piece, resulting in consistent wall thickness throughout the fender.

As all of the Ocean fenders, it is made out of **Plastisol PVC** material, with **rotation moulding procedure** making it the **highest quality utility fender in the market**.

The simple valve of the fender offers convenient inflation and maximum protection at the same time.

The new U series by Ocean fenders, manages to offer competitiveness without sacrificing our quality!

Simple Design  
Seamless Construction  
Unique Glossy finish



U0

U1

U2

U3


U4

U5



- Material : Plastisol PVC
- Production process: Single procedure Rotational moulding

Model	Colour	Code	Colour	Code	Colour	Code	Dimensions		Eye Diameter	Volume per products (lt)	Weight (kg)	Boat Size (ft/m)
							A (mm)	B (mm)				
U0	○	72260	●	72358	●	72359	100	330	13	1,8	0,40	0-10/0-3
U1	○	72261	●	72360	●	72361	120	400	16	3,6	0,52	10-20/3-6
U2	○	72262	●	72362	●	72363	140	500	16	6,3	0,80	15-25/5-8
U3	○	72263	●	73264	●	72365	160	560	19	9,1	1	15-30/5-9
U4	○	72264	●	73266	●	72367	190	640	19	14,5	1,55	20-35/6-11
U5	○	72265	●	72368	●	72369	220	640	22	18,6	2	25-40/8-12



Suitable for



Best **Center Hole** fender for both horizontal and vertical use.

**The "CH Series" center hole fenders**, distinct for their **multiple use** since they are designed for **both horizontal and vertical application** to any small to medium boat.

The new CH series introduced by Ocean is the point where **simplicity** and **elegance** become one, with the high gloss finish giving you the ultimate touch of style.

In addition, the "CH series" of fenders are **made in one-piece**, resulting in consistent wall thickness through the fender. As all of the Ocean fenders, it is made out of **Plastisol PVC material**, with rotation moulding procedure.

The simple valve of the fender offers convenient inflation and maximum protection at the same time. They are accompanied **with white rope** in order to make your life easier!



Unique Glossy finish

Simple and Functional design

Provides both horizontal & vertical protection

Comes with rope



**CHO**



**CH1**



**CH2**



- Material : Plastisol PVC
- Production process: Single procedure Rotational moulding



Model	Colour	Code	Dimensions		Hole Diameter	Rope Length (mm)	Volume per products (lt)	Weight (kg)	Boat Size (ft/m)
			A (mm)	B (mm)					
CHO	○	72266	100	300	16	1000	2,9	0,5	0-15/0-5
CH1	○	72267	150	430	16	1200	9	1	15-25/5-8
CH2	○	72268	200	550	16	1400	23,4	2	15-35/5-11



Suitable for






## Rope-Through heavy duty fender for both horizontal and vertical use.

The "RT Series" rope through fenders, distinct for their **multiple use** since they are designed for **both horizontal and vertical application** for any yacht. The "RT Series" by Ocean is the point where performance and strength become one, with the **reinforced vertical ribs** giving you the extra protection you need.

In addition, the "RT Series" of fenders are **made in one-piece**, resulting in consistent wall thickness through the fender. As all of the Ocean fenders, it is made out of **Plastisol PVC** material, with rotation moulding procedure. The simple valve of the fender offers convenient inflation and maximum protection at the same time.




Unique Glossy finish  
Seamless construction  
Ribs for extra protection



- Inflation pressure: 2.1lbs/0,15bar at 68°F/20°C
- Material : Plastisol PVC
- Production process: Single procedure Rotational moulding

Model	Colour	Code	Dimensions		Hole Diameter	Volume per products (lt)	Weight (kg)	Boat Size (ft/m)
			A (mm)	B (mm)	D (mm)			
RT1	○	72107	160	395	16	7,7	1,2	15-25/5-8
RT2	○	72108	215	520	16	18,3	2	25-35/8-11
RT3	○	72109	265	685	16	36,6	3	35-50/11-15



Suitable for





## OCEAN Fender & Buoy covers for extra protection

*Fender & Buoy Covers for U, L & R Series that provide optimum protection and increase the life expectancy of your boat fenders.*

*They are made from 100% acrylic fabric and also include maximum UV resistance (UV8).*

Single



Double



Colour: Blue

### OCEAN Fender Covers

Code	Dimensions (mm)	OCEAN Fenders	Thickness	Packing (pcs)
49932	150x560	U2 & H2 - U3 & H3 & RT1	Single	2
49351	230x560	U4 & H4 - U5 & H5 & RT2	Single	2
49352	230x760	U6 & H6	Single	2
49353	230x1040	H8	Single	2
49354	300x760	H7	Single	2
49355	300x1070	H9	Single	2
49356	380x1020	-	Double	1
49935	380x1400	-	Double	1
49936	510x1270	-	Double	1
49937	610x1400	-	Double	1
49938	810x1900	-	Double	1

### OCEAN Buoy Covers

Code	Dimensions (cm)	OCEAN Buoys	Thickness	Packing (pcs)
49933	200x290	-	Single	2
49934	290x370	R1	Single	2
49358	390x490	R2	Single	2
49359	470x590	R3	Single	2
49360	550x710	R4	Single	2
49361	700x920	R5	Single	2
49362	860x1180	R6	Double	1
49363	990x1370	R7	Double	1



CabQ


Fender Line double braided with loop, polyester, navy blue

Code	Diameter (mm)	Length (m)	Strength (kg)	Boat Length (m)
90812	8	2	1600	< 6
90813	10	2	1940	6 - 8
90814	12	3	2650	> 8

The **Easystore Plus Inflatable fenders** are made of reinforced, abrasion resistant PVC material.

They are light, simple to use and when deflated can be stowed in small lockers. They can be quickly inflated by using any standard or electric pump and easily mounted using the rope supplied. The Easystore Plus Inflatable fenders are available in various sizes and in light grey colour.

- Thickness: 0,9mm
- Material: PVC Body
- D-ring
- Rope: diameter 7mm
- Recommended inflation pressure: 2,4psi



Welded together not glued

Provides easy storage

Convenient inflation and deflation

Comes with rope

Code	Diameter (mm)	Length (mm)	D-ring on top	D-ring on bottom	Rope (m)	Boat Size (ft/m)
57327	200	500	-	stripe	3	20-30/6-9
57328	250	700	-	stripe	3	30-40/9-12
57316	280	850	1	1	3	40-50/12-15
57317	320	1040	1	1	3	50-70/15-21
57318	420	1320	1	1	5	70-140/21-43
57319	600	1500	1	1	5	140-210/43-64

Suitable for





## The Magnus inflatable fenders are made of reinforced PVC material.

There are options with 1 or 3 D-rings attached on each side of the fender, as well as wrap around straps for better durability and strength. They are light in regard to their size, simple to use and when deflated can be stowed in small lockers. They can be quickly inflated by using any standard or electric pump and easily mounted. The Magnus inflatable fenders are available in various sizes and in black colour.

- Thickness: 1.2mm
- Material: PVC Body
- D-ring
- Wrap around tape
- Recommended inflation pressure: 2,4psi

Code	Diameter (mm)	Length (mm)	D-ring on top	D-ring on bottom	Boat Size (ft/m)
72159	420	1320	1	1	130-190/40-58
72162	1100	1350	3	3	130-190/40-58
72160	650	1600	1	1	140-210/43-64
72161	970	1910	3	3	over 200/60
72163	900	2100	3	3	over 210/67

Welded together not glued


Provides easy storage

Convenient inflation and deflation

Reinforced D-Rings

Reinforced PVC

## MEGA YACHT FENDERS



Suitable for



# OCEAN

## Solid Fenders

The Ocean Solid fenders range is what distinguishes the brand from everyone else.

These unique and superior quality products are what sets Ocean to be a step above the rest. Being the only brand that can provide you with these exclusive Italian design and patterned fenders, that are made from flexible integral skin foam technology, which is only used by Ocean for the production of fenders! They have the best shock absorption and life performance than any fender in the market, being the only one **THAT CANNOT DEFLATE.**

The range includes fenders for all different applications, for bow (PVM1&Blade) and stern protection (Match 60&Match 80) as well as for regular cylindrical type fenders, which are our Type A clip on fenders, available in 4 different sizes.

Finally, the fender that sets you above everyone else in the marina is a class by its own. Our Solovela, as its Italian origin name suggest, it is designed exclusively for sailboats. It refers to the sailboats that wish to be looked upon for their superior taste when it comes to fending.



## Optimum Shock Absorption & Lifetime Performance

**SOLOVELA solid fender** serves as a multipurpose boat fender and it is the best in its class by offering optimum shock absorption and lifetime performance. It is manufactured from **Flexible Integral PU Skin Foam technology**, so it is a boat fender that cannot deflate. In addition it has remarkable durability having been tested under the pressure of 12 tons per dm<sup>2</sup>.

The fenders' wide surface area ensures a better distribution of the load and reduction of the specific pressure per cm<sup>2</sup>. SOLOVELA solid fender stands out for its innovative shape and exclusive design, specifically for sailboats, which combines ergonomomy and protection. By offering very easy fitting on the sail boat's lifeline and requiring no stowage while sailing, it's always in place and ready to use. It remains steady on the lifeline even with strong wind, without having to worry about being dropped into the sea.

You can also use the SOLOVELA solid fender as a boarding step or as a backrest for the captain during sailing. SOLOVELA solid fender is supplied with a navy blue or sand color, UV resistant zip-on cover and a 3 m white polyester line. The fender has one through hole with nylon fiber reinforced bushes for easy and safe installation with the supplied line.



- Tested under 12 tons per dm<sup>2</sup>.
- Can also be used as a step and as a backrest.

Model	Colour	Code	Dimensions			Weight (kg)
			L (cm)	H (cm)	W (cm)	
Solovela	●	473215	38	60	19	4,2
	●	197742				

Suitable for



**SOLOVELA solid fender Covers** feature a 100% soft polyester with exceptional UV resistance and an adjustable cord and a spring clip.

Colour	Code
●	197782
●	197783





### The first and unique clip-on solid fender

**Type A clip-on boat fender** is the first and unique solid fender, which clips on the guardrail, and is manufactured from Flexible Integral PU Skin Foam technology. It is a boat fender that cannot deflate. It offers the best shock absorption and lifetime performance among other boat fenders, providing exceptional protection.

It has impressive durability, **as this fender cannot deflate no matter the pressure**. It is always in place and ready to use in seconds, and it remains steady even with strong wind. There is no need for fender baskets or other inconvenient stowage and they don't get in the way on the side decks.

It can be used for the protection of the boat **both horizontally and vertically**. The Type A clip-on solid fender has one through hole with nylon fiber reinforced bushes for easy and safe installation.

- The first and unique clip-on fenders
- Can be used both horizontally and vertically



Model	Colour	Code	Dimensions		Ø Guardrails (mm)	Weight (kg)
			Ø (mm)	L (mm)		
A1	○	197747	160	380	20-26	1,5
	●	197748				
A2	○	197749	200	460	20-28	2,5
	●	197750				
A3	○	197751	230	530	25-30	3,8
	●	197752				
A4	○	197753	250	600	25-30	4,8
	●	197754				

Suitable for



## The solid fender for every area that needs protection

**PVM1 is the first and unique universal bow solid fender**, which is manufactured from **Flexible Integral PU Skin Foam technology**. It is a fender that cannot deflate. It has the best shock absorption and lifetime performance in class, providing exceptional boat protection and durability.

It is a multipurpose fender, **ideal for bow berthing**, for protecting **the swimming platform** and for **dock fending**. In addition it protects the bow from anchor swinging. Its innovative shape and exclusive design, combines ergonomony and protection for the stern and bow, which are the two most vulnerable parts of the boat. **PVM1 bow solid fender** is designed to stay fixed in place and has two through holes with nylon fiber reinforced bushes for easy and safe installation.

- The first and unique universal bow fender
- Ideal for bow berthing, swim platform and dock fending
- It fits all bow shapes



Colour	Code	Dimensions			Weight (kg)
		L (mm)	H (mm)	W (mm)	
○	472461	600	250	170	3,2
●	472462				



Suitable for



## The best protection for your swimming platform

**PVM2 solid fender** is ideal for protecting the corners of the boat's swimming platform, having been made with thickness up to 15cm. It is manufactured from Flexible Integral PU Skin Foam technology. It is a fender that cannot deflate. It has the best shock absorption and lifetime performance in class, providing exceptional boat protection and durability.

In addition, it can be used in combination with solid fender PVM1 to ensure the best protection for your swimming platform. It has two through holes with nylon fiber reinforced bushes for easy and safe installation.

- Ideal for swim platforms applications
- It is designed for corner protection

Suitable for



Colour	Code	Dimensions			Weight (kg)
		L (mm)	H (mm)	W (mm)	
	472463	430	240	250	2,5
	472464				



## BLADE cruiser/racer

**Best in class shock absorption and life performance.** The first and unique bow fender for 90° bow shape. Flexible integral skin foam technology. Exceptional boat protection and durability, cannot deflate. Designed to stay fixed in place. One through hole with nylon fiber reinforced bushes for easy and safe installation.

Suitable for



Colour	Code	Dimensions			Weight (kg)	Max Bow Shape Width (mm)
		L (mm)	H (mm)	W (mm)		
	197745	1040	160	120	2,7	70
	197746					






## Life-time stern protection

**Match 60** is the first and unique universal stern solid fender, which is manufactured from Flexible Integral PU Skin Foam technology. It is a boat fender that cannot deflate. It has the best shock absorption and lifetime performance in class, providing exceptional boat protection and durability.



In addition, MATCH 60 Solid Fenders' innovative shape and exclusive design, combines ergonomics and protection for the stern, which is one of the most vulnerable parts of the boat. It is ideal for stern berthing as it fits all stern shapes from 60° to 75°. The Match 60 stern solid fender has one through hole with nylon fiber reinforced bushes for easy and safe installation.

- The first and unique universal stern fender
- Ideal for stern berthing
- It fits all stern shapes



Suitable for



Colour	Code	Dimensions			Weight (kg)
		L (mm)	H (mm)	W (mm)	
	421084	600	320	250	4,2
	421110				


## Life-time stern protection

**Match 80** is the first and unique stern fender for 90° stern shape, which is manufactured from Flexible Integral PU Skin Foam technology. It is a boat fender that cannot be deflated. It has the best shock absorption and lifetime performance in class, providing exceptional boat protection and durability.



In addition MATCH 80 Solid Fenders' innovative shape and exclusive design, combines ergonomics and protection for the stern, which is one of the most vulnerable parts of the boat. Designed to stay fixed in place, it is ideal for stern berthing fitting all stern shapes from 75° to 90°. The Match 80 stern fender has one through hole with nylon fiber reinforced bushes for easy and safe installation.

- The first and unique stern fender for 90° stern shape



Suitable for



Colour	Code	Dimensions			Weight (kg)
		L (mm)	H (mm)	W (mm)	
	197744	660	280	240	4,2
	197743				

**It is a dock fender that cannot deflate in any way, under any circumstances.**

*The Solid Dock fender, as well as the rest of the Ocean solid fender series, are manufactured from Flexible Integral PU Skin Foam technology. It is a dock fender **that cannot deflate in any way, under any circumstances**. It has the best shock absorption and lifetime performance in class, providing exceptional dock and boat protection. It is the ideal fender for dock fending, fitting perfectly in every dock by placing the clip-ons on the dock and then easily and safely attaching the fender with the dock.*

**PATENT**

472465



472466

**Lifetime Warranty**




**Stress Test**



[www.youtube.com/watch?v=9gM9i4WP2AM](https://www.youtube.com/watch?v=9gM9i4WP2AM)

Code	Description	Dimensions			Weight (kg)
		L (mm)	W (mm)	H (mm)	
472465	Solid Dock Fender, curved-ending, Navy blue	1045	230	200	5,6
472466	Solid Dock Fender, Navy blue				
472467	Clip-on for Dock Fender	-	-	-	-



472467



*The Ocean inflatable Dock fender is the most convenient solution when it comes to bumpers, providing exceptional dock and boat protection. It is the ideal fender for dock fending, fitting perfectly in every dock with easy and safe installation.*




3/4




1/2

Colour	Code	Description	Dimensions		Weight (kg)
			L (mm)	H (mm)	
○	72346	Empty	640	220	3
	72493	Foam Filled			5

Colour	Code	Description	Dimensions			Weight (kg)
			L (mm)	H (mm)	W (mm)	
○	72347	Empty	640	220	132	2,5
	72492	Foam Filled				4



Foam Filled





**For the ultimate protection of your sails.**

### Clip-on STANCHION cover

**STANCHION** is a unique flexible stanchion cover, which provides ideal protection for all bow sails. It is made of Flexible Integral PU Skin Foam technology. STANCHION prevents from chafing of the genoa caused by constant rubbing against the stanchions. It has easy fitting, with 2 nylon clips included.

- Provides ideal protection for all bow sails
- Easy to fit with 2 nylon clip included



Colour	Code	Dimensions			Weight (kg)
		L (mm)	H (mm)	W (mm)	
○	197757	100	70	34	0,06



### SAIL DEFENDER clip-on lifeline cover

**SAIL DEFENDER** is a unique flexible lifeline cover, which can be applied to any kind of pulpit with coaxial lifeline in easy and rapid way. It is made of Flexible Integral PU Skin Foam technology, providing ideal protection for all bow sails. SAIL DEFENDER prevents chafing of the genoa caused by constant rubbing on rigging, joining lifeline to pulpit. It has easy fitting, with 5 nylon clips included.

- Provides ideal protection for all bow sails
- Easy to fit with 5 nylon clips included



Colour	Code	Dimensions			Weight (kg)
		L (mm)	H (mm)	W (mm)	
○	197759	320	70	45	0,21





## Universal CROSS-TREE cover

The first and unique flexible cross-tree cover to fit all cross trees from 100 mm to 360 mm circumference. Provides ideal protection for all sails. Flexible integral skin foam technology. Easy to fit with a 3 m length polyester line included.




Colour	Code	Dimensions			Weight (kg)
		L (mm)	H (mm)	W (mm)	
○	197755	200	100	110	0,2



**OCEAN Sports Buoy.** Made from high quality PVC material, these small but durable inflatable buoys will mark your boat or waterski course. It meets the American Water Ski Association specifications. The Ocean sports buoy has a **durable ropehold** to fasten your anchor line.



Colour	Code	Dimensions		Weight (kg)
		L (mm)	H (mm)	
●	72450	200	230	0,6



**OCEAN Keychains fenders** are elegant miniatures of the OCEAN fender series. The logo is engraved in the keychain fender, making it a way more aesthetic choice than a cork float. The amount of keys that it can hold are more than any other keychain fender in the market, so you will not lose your keys in the sea.



Keychain Round Fender, red

72448



Keychain Fender, white

72447

## Clip-on LIFEBOUOY SUPPORT for rail

Quick lifebuoy release system. Ideal for all standard lifebuoy rings and horseshoe with 400 mm max circumference. Flexible integral skin foam technology.



Colour	Code	Dimensions			Rail Ø (mm)	Weight (kg)
		L (mm)	H (mm)	W (mm)		
○	197763	140	120	180	25-28	0,45



## ALVEA drinks Tray

ALVEA is a unique and useful glass and bottle tray, made of Flexible Integral PU Skin Foam technology and non-slip material. Thanks to the moulded design, **the cups are held firmly even when they're empty or during strong winds**, making ALVEA an essential accessory on board. In addition, it keeps the table tidy and it's easy to clean, by using only soap and water.

Colour	Code	Dimensions			Weight (kg)
		L (mm)	H (mm)	W (mm)	
●	473084	270	230	50	0,30



# Clip-on CAN HOLDER

**CAN HOLDER** is a **unique and useful accessory**, ideal for holding and keeping cool cans, small bottles, and glasses. It's one-piece made and there is no need for extra parts. It keeps the temperature levels of the mounted object. It also floats, so you won't lose it.



It can also be used as an object holder for Mobile phones, eyeglasses, portable VHF and GPS, etc. It is made of Flexible Integral PU Skin Foam technology. It can be clipped on all guardrails, pulpit and stanchion, making it an essential accessory on board

## Perfect fit for glasses, bottles and cans

An object holder for Mobile phones, eyeglasses, portable VHF and GPS, etc.



**A MUST HAVE ACCESSORY**

Colour	Code	Dimensions			Rail Ø (mm)	Weight (kg)
		L (mm)	H (mm)	W (mm)		
	470089	130	90	100	22-26	0,25
	197762					



## Unique Product - Supreme Quality

Flexible integral PU skin foam technology

**Maximum Durability**

Easy "clip-on" any guardrails



# Professionals Trusting

Rescue Teams



PILOT Boats



Charter Companies







"FENDING", INNOVATION AND EXCELLENCE

**Customer Support:**

3 Gounari str., Piraeus, 185 31, Greece  
Tel: +30 2104226274, Fax: +30 2104226273

**Production:**

14, Ursa street, District Sini Vir, 2309 Pernik  
e-mail: [contact@oceanfenders.com](mailto:contact@oceanfenders.com)  
[www.oceanfenders.com](http://www.oceanfenders.com)

